

INTERNATIONAL CUB CADET LAWN AND GARDEN TRACTORS

HORSE POWER WORK POWER GO POWER

Step aboard and feel real power—power that instantly purrs into action, ready to mow a lawn, clear a driveway, plow a garden, or do dozens of chores.

Five new Cub Cadet® tractors turn work into play, get chores done faster, give you more free time. Each has the famous "direct drive"—all metal with heavy, precision-cut gears, and ball-and-roller bearings from engine to axle. (No belts to frazzle, break, or waste power.) 12 horsepower model 125 and 10 horsepower 105 have one lever, no shift, hydrostatic gearing. 124, 104, and 72 feature "sports car" shifts with 12, 10, and 7 horsepower respectively. All Cub Cadets have cold-weather starting; built-in safety features; easy, natural controls; heavy, long-life construction; and brand-new Quick-Attach implements (mower to snow thrower in just moments!)

Try a Cub Cadet tractor today. See why it's the best . . . best because it offers more power to you!

Right: Cub Cadet tractor "125" with new Quick-Attach 48-inch mower. Hydrostatic drive has one-lever control of direction, braking, and infinite speed selection from zero up to 8 mph forward, zero to 4 mph reverse.



"HYDROSTATIC DRIVE" POWER



IT'S A JOY TO OPERATE ...



THE "STICK" DOES EVERYTHING ...



MOVE IT FORWARD . . .



... AND CUB CADET MOVES BACK ...



TO STOP QUICK! . . .





OR SNOW BLOWING ...



Response is instant, silky-smooth.

AND CUB CADET® TRACTOR MOVES FORWARD . . .



MOVE THE "STICK" BACK . . .





ONE LEVER CONTROLS BRAKING, SPEED, FORWARD, REVERSE!

It's amazing-there's no shifting, no clutching, no fancy footwork. One lever moves you forward (at any speed you want up to 8 mph) or backward (up to 4 mph). It brakes the tractor, too. Whiz across a large lawn in record time. Edge up on tricky shrub lines. Creep in high weeds or deep snow. Powerhouse through drifts. Then, back out at high speed.

Exclusive piston design in the IH hydrostatic transmission puts full power to work from the engine-minimizes slippage and leakage. As for maintenance - an occasional change of fluid and filter does it. To push tractor, just flip a handy lever. No tools needed. Hydrostatic drive is avail-

able in 12-hp Cub Cadet® 125 and 10-hp Cub Cadet® 105 tractors.

"STICK" TO "N"... OR DEPRESS THE FOOT PEDAL BRAKE ... (THERE'S ALSO A SAFETY PARKING BRAKE LOCK.)



"CREEP" IN TIGHT CORNERS ...







A TOUCH OF THE "STICK" SELECTS INFINITE SPEEDS - ZERO TO 8 MPH!



(FLIP LEVER TO PUSH)


SPORTS CAR SHIFT POWER




SMOOTH DRIVING-SMOOTH MOWING. CUB CADET® 124 TRACTOR WITH 48-INCH MOWER.

DIRECT DRIVE, ALL-METAL TRANSMISSION-NO BELTS!

Belts slip, wear out, break. But Cub Cadet's direct drive, heavy-duty, precision-cut, hardened gears, and precision ball and roller bearings are metal from engine to axle. Transmission and differential are the same as used on the famous Industrial Cub® tractor. Sliding gear design gives easy, clash-free, smooth shifting. You can start in any gear-no need to shift up. Use first gear for rototilling, dozing, mowing heavy weeds; second for average mowing; third for speedy transport. Optional* "Creeper Drive" reduces speeds even lower-4:1 for extra-heavy going. In first, speed is 0.6 mph; second, 1 mph; third, 1.7 mph; reverse 0.6 mph. Why not enjoy lawn and garden chores! You can, with the sports car fun of Cub Cadet direct drive-the drive that offers more "chore power"! *at extra cost.





NO BELT OR CHAIN FROM ENGINE TO AXLE!

3 SPEEDS FWD; 1 REVERSE ... "CREEPER DRIVE" IS EXTRA



START IN ANY GEAR . . .



WITH CLASH-FREE CLUTCHING . . .



AND SAFE, DISC-TYPE BRAKING.



IT'S EASY TO DRIVE, SAFE TO DRIVE, FUN TO DRIVE. (LET YOUR TEEN-AGER DO THE DRIVING!)

SAFE POWER--COMFORT POWER

NO KIDDING AROUND WITH SAFETY. CUB CADET® 124 TRACTOR WITH 48-INCH MOWER.

The key to child safety-is the key in your pocket! Cub Cadet® tractor won't start without it. And it won't start unless you depress the clutch. Cub Cadet is all safety-minded. Operator's deck is clear; no exposed belts. Skid-proof platform and continuous fenders protect feet. Excellent visibility up front and all around. Switches, controls, levers in "natural" positions-none to learn or "un-learn." Steering has same feel and response as your car's. Instantly responsive. No backlash. Cub Cadet is a hill-hugger-low center of gravity, full 43-inch wheelbase and extra weight help keep it from tipping. Contoured, cushioned seats are adjustable for leg room, offer an air cushion ride and the comfortable security that full safety can bring. Swing aboard-see why Cub Cadet means safer power, more comfortable power!



GOOD LOOKS, EASY-CHAIR COMFORT.



NO KEY ... NO DEPRESSED CLUTCH . . .





ADJUSTABLE SEATS . . .





AUTOMOTIVE-TYPE STEERING.



CONTINUOUS FENDER-PLATFORM . . . DISC-TYPE BRAKE

WORK POWER

Cub Cadet is not a riding mower, not a toy. It's a working tractor designed originally for farm and industrial use as well as for homeowner use. Its direct-drive transmission and differential are exactly the same as those of the International Cub® and Cub Lo-Boy® tractors. The frame is fulllength channel steel. No tubular steel. No sections. It soaks up shocks, easily supports heavy-duty attachments. Cub Cadet is built with more steel . . . a bigger generator . . . a dry air cleaner (more efficient than the cheaper wet cleaner) . . . bayonet-type oil dip stick . . . wheel ball-bearings . . . prepacked bearings that need no lubrication—and many other "extras" that mean more use of horsepower, more real work power.













CUB CADET® TRACTORS OUTPERFORM OTHERS BECAUSE THEY ARE BUILT LIKE THE BIG ONES . . .









HITCH DRAWBAR . . .







CHOOSE THE POWER YOU NEED-7 HP, 10 HP, OR 12 HP.













NOW! CHANGE CHORES IN SECONDS! TO DROP MOWER, PULL TWO PINS AND BELT ... DOZE ...

THEN DETACH ... PULL TWO PINS AND PRESS QUICK-LATCH BAR ... OFF AGAIN, ON AGAIN, WORK AGAIN!

MOWER POWER

FAIRWAY SMOOTH. CUB CADET® TRACTOR WITH 48-INCH MOWER.

Here's fun in the sun with a beautiful lawn as the grand prize! International® rotary mowers are specially designed to cut sharp, cut smooth, cut fine. Home lawn or grand estate, you cruise swiftly across the grass, leaving a smooth, green sea behind. Three blades with sweep-up wing tips whirl at high speed, slicing clean and even, with no streaking. Baffles eliminate clumping, return clippings to blades for finer cutting and mulching action. Adjustable gauge wheels and front rollers prevent scalping and gouging. You can adjust cutting height — on the go — from one to four inches. Trim in tight to ½-inch of fences, buildings, or borders, eliminating most hand trimming. Before you know it, the job is done.






5 TRACTORS, 3 MOWERS ... TO CUT THE BIGGEST LAWN DOWN TO SMOOTH SIZE IN PRACTICALLY NO TIME!







QUICK-ATTACH, QUICK-DETACH!



UPDRAFT BLADE DESIGN.







TRIM SQUEAKY TIGHT ... WITH MINIMUM HAND TRIMMING ... CUTTING HEIGHTS 1 TO 4 INCHES.


SNOW CLEARING POWER

CLEAR THE WAY! CUB CADET® TRACTOR WITH QUICK-ATTACH SNOW THROWER.

Now change from mower to thrower in moments! No matter how low the thermometer plunges, Cub Cadet purrs into action right away—aided by an Automatic Compression Release that allows engine revolutions to build up before there is compression in the cylinders. "Quick-Attach" the International Snow Thrower and go! Clear a path 36 or 42 inches wide through highest drifts, throwing snow as far as 20 feet in a 180° arc. Stop, start, lift, and direction of throw are controlled from driver's seat. (Also available: 42-inch wide, 16-inch high snow and dozer blade with protective spring trip. Angles to 30 degrees left or right; positions 2 inches below or up to 8 inches above ground level.)







ENGINE WITH AUTOMATIC COMPRESSION RELEASE STARTS INSTANTLY. EVEN IN COLDEST WEATHER!







DRIVER MANIPULATES (A) PTO CLUTCH . . . (B) HEIGHT ADJUSTMENT . . . (C) DIRECTIONAL DISCHARGE CHUTE






COLD WEATHER CANVAS CAB ALSO AVAILABLE . . . AND QUICK-ATTACH 42-INCH SPRING-TRIP BLADE.

ALL-SEASON POWER

Till and cultivate using tractor's power. Hoe-like blades mix and blend soil to 7 inches deep. Tiller is 32-inches wide, reduces to 26 inches; increases to 38 inches.





IH rear rake is 41-inches wide, has replaceable carbon-steel teeth, is interchangeable with 31/2-foot wide backfill blade. Both can be raised or lowered, and angled left or right.



Box scraper is 40-inches wide, has 2-inch cutting depth, and up to 71/2inch clearance in high position. Manual lift-lever controls downpressure if needed, can be locked in "float."



Haul an 800-pound load or 41/2 bushels (level load) in all-steel box constructed trailer. Dumping action is controlled from the driver's seat. Removable tail-gate.




into fun time in quick time.

LAWN ROLLERS. Water ballast adds 550 to 750 pounds. With or without transport wheels.



CULTIVATOR. Adjusts for 6 to 42-inch row crop spacing. Depth controlled. 3-point



INSECT FOGGER. 1-quart fogging liquid tank fastens to hood. Generates cloud of dry fog.



Cub Cadet® tractors put in a 365-day work year. There are more than 50

attachments available, ranging from landscaping and ground maintenance equipment to gardening and general utility tools. All attachments have been tested by our engineers in the laboratory and in the field. A few are shown here. The complete line appears in the IH "Special Duty Equipment" sixteen-page catalog. Ask your dealer for complete information. Let him show you how your Cub Cadet tractor can turn chore time

SICKLE-BAR MOWER. Mows 4-foot swath with PTO belt drive. Trims hedges.



TRAILER SPRAYER. 4-cycle, 2-hp engine; holds 12½-gal. Power gun or boom avail.




REEL MOWERS. 3 and 5 gang mowers cut 60 to 132inch swaths. Playgrounds, cemeteries, golf courses.



LAWN SEEDER-FERTI-LIZER. 30-inches wide, 85-pound capacity. Calibrated flow dial. Hand lever control.




LAWN SWEEPER. 12-bushel capacity, 41-inches wide. Heavy-duty canvas.



MOLDBOARD PLOW. Adjustable 5-inch depth. Colter slices vertically. Plow turns soil. 3-point hitch required.



DISK HARROW. 29 to 30-inch width. Adjustable angling. 3-point hitch required. (2 gangs illustrated.)



SPIKER AERATOR. 16 replaceable spike discs adjust for spiking action. 32-inches wide. Weight pan.




ROLLER BLADE WITH SEEDER. Grades, levels, mulches, seeds, aerates,

fertilizes. 3-pt. hitch req. 17

"PLUS" EARNING POWER

Cub Cadet® tractors are working tools, designed and built with the stamina necessary for heavy commercial use at factories, parks, playgrounds, nurseries, and airports. Professional men find they can rely on Cub Cadet for minimum downtime and maintenance costs. The method of mounting and using Special Duty Equipment is accepted by the Inter-

national Harvester Company and will not affect the warranty of the tractor. Performance of the equipment and its warranty are the responsibility of its manufacturer, International Harvester disclaims any liability for injuries to persons or damage to property resulting from or arising out of the use of such equipment.



GOLF BALL RETRIEVER. Widths from 31/2 to 18-ft. Cushion wedge "pick-up."



CARRIER. 200-pound capacity. Slats and supports are high carbon steel. Folds up to protect grille.



CARRYALL. Fiberglass body, 2 seats, space for tools, cases, etc.



FLOOR SWEEPER. 37-inch wide; 9-inch gutter brush. 21/4-HP air-cooled gasoline motor.




VACUUM SWEEPER. Draws grass, etc., into bag. 4-HP engine.



TILT-BED TRAILERS.* 1,000 lb. capacity. Hauls Cub Cadet to sites.



HYDRAULIC LIFT LOADER. Lifts 350-lb. loads to 52-in. height, 3-gpm hydraulic



SWEEPER. 4-feet wide, angles 31° right. Lift lever at



TRENCHERS. Digs to 36-in. deep; to 6-in. wide. Pump and motor included.



LAWN AERATORS. Tubeteeth penetrate several



SPRAYERS. Several sizes available. 50-gal. with 2-HP engine illustrated.



HOLE DIGGER. Holes from 4 to 14-inches diam., up to 30-in. deep.







FEATURES

	ENGINE	GROUND SPEED	WHEELS AND TIRES	OTHER EQUIPMENT	OPTIONAL EQUIPMENT AT EXTRA COST
7-hp engine.* Electric or manual start. Direct drive Approx. 730 lbs.**	Single-cylinder, 4-cycle, air-cooled Kohler with compression release. Compression ratio, 6.2:1; bore, 2.875 in.; stroke, 2.5 in.; displacement, 16.22 cu. in.	Mph at rated 3,600 rpm: 1st, 2.3; 2nd, 3.9; 3rd, 6.9 reverse, 2.5	Disc wheel with 4.80/ 4.00-8 front tires; 6-12, 2-ply rear tires. Optional: Large "Turf" tires: 16x6.50-8 front, 23x8.50-12, rear, or 4.80/4.00-8 front, 23x8.50-12 rear.	Adjustable spring seat, fixed drawbar, throttle lever, lift equipment handle, foot rests, front pto clutch, combination clutch-brake pedal, 5-qt. fuel tank, ignition key, safety starting on electric start model.	Lights (two headlights, red taillight), three-point hitch, rear wheel weights, fenders, deluxe seat cushion, dual rear wheels, rear utility box, creeper (slow speeds) drive, hydraulic lift attachment.
10-4 10-hp engine.* Electric start. Direct drive Approx. 780 lbs.**	Single-cylinder, 4-cycle, air-cooled Kohler with compression release. Compression ratio, 7:1; bore, 3.25 in.; stroke, 2.875 in.; displacement, 23.9 cu. in.	- -	ā	Adjustable weather-proofed cushion seat, fixed drawbar, throttle lever, lift equipment handle, ignition key and safety electric starting, fenders and foot platforms, front pto clutch, combination clutch-brake pedal, 6½-qt. fuel tank, large muffler with improved silencing.	Lights (two headlights, red taillight), three-point hitch, rear wheel weights, dual rear wheels, rear utility box, creeper (slow speeds) drive, hydraulic lift attachment.
12-4 12-hp engine.* Electric start. Direct drive Approx. 800 lbs.**	Single-cylinder, 4-cycle, air-cooled Kohler with compression release. Compression ratio, 6:1; bore, 3.375 in.; stroke, 3.25 in.; displacement, 29.07 cu. in.		Regular: 23x8.50-12 rear; 4.80/4.00-8 front. 6-12-in. 2-ply rear are optional	Adjustable weatherproofed cushion seat, fixed drawbar, throttle lever, lift equipment handle, ignition key and safety electric starting, fenders and foot platforms, combination clutch-brake pedal, front pto clutch, 8-qt. fuel tank, large muffler with improved silencing.	
10.5 10-hp engine.* Electric start Hydrostatic drive Approx. 805 lbs.**	Single-cylinder, 4-cycle, air-cooled Kohler with compression release. Compression ratio, 7:1; bore, 3.25 in.; stroke, 2.875 in.; displacement, 23.9 cu. in.	Mph at rated 3,600 rpm: Infinite selection of speeds. Forward: 0 to 8 mph. Reverse: 0 to 4 mph.	Same as "104"	Same as "104" except combination clutch-brake pedal is brake pedal only	Same as ''124" except no creeper drive is needed.
12.5 12-hp engine.* Electric start Hydrostatic drive Approx. 825 lbs.**	Single-cylinder, 4-cycle, air-cooled Kohler with automatic compression release. Compression ratio, 6:1; bore 3.375 in.; stroke, 3.25 in.; displacement, 29.07 cu. in.		Same as "124"	Same as "124" except combination clutch-brake pedal is brake pedal only.	

*Maximum engine hp as per SAE Standard J607

**Weights (operating with 175-lb. driver, full tank, no hitch)

Specifications subject to change without notice.

ACCESSORIES CUSTOM-FITTED FOR THE CUB CADET® TRACTOR



INTERNATIONAL® TRACTOR RADIO. Music while you work, or listen to the game. Full fidelity, 7-transistor, waterproof, shockproof, brings in distant stations loud and clear. Ignition and capacitor suppressor eliminate static. Antenna included.



CHROME-PLATED HUB CAPS



TIRE CHAINS



DUAL REAR WHEELS



WEIGHTS



STORAGE COVER



SEALED BEAM HEADLIGHTS

TALK TO YOUR DEALER ABOUT "MORE PURCHASE POWER"

Ask about the IH payment plan which can put a Cub Cadet tractor on your front lawn for as low as \$23.65 a month in most states. Your dealer has a full line original parts department—backed by a national parts distribution system. His mechanics are factory-trained, de-

pendable, ready to serve. Choose the Cub Cadet tractor, the attachments and the payment plan you want.

